

ISO /TC 268/SC 1/WG 3

Date: 2018-06-07

ISO/CD 37161

ISO /TC 268/SC 1/WG 3

Secretariat: JISC

Smart community infrastructures — Guidance on smart transportation to save energy consumption in transportation services in cities

Warning

This document is not an ISO International Standard. It is distributed for review and comment. It is subject to change without notice and may not be referred to as an International Standard.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Document type: International Standard

Document subtype:

Document stage:

Document language: E

Copyright notice

This ISO document is a Draft International Standard and is copyright-protected by ISO. Except as permitted under the applicable laws of the user's country, neither this ISO draft nor any extract from it may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, photocopying, recording or otherwise, without prior written permission being secured.

Requests for permission to reproduce should be addressed to either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Reproduction may be subject to royalty payments or a licensing agreement.

Violators may be prosecuted.

Contents

Page

Foreword	v
Introduction.....	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
3.1 transportation energy	1
3.2 energy saving	1
4 Fundamentals	1
4.1 Basic ideas and goals	1
4.2 Location and purposes for adoption of smart transportation for the energy saving in transportation operation and services	2
4.2.1 Location where smart transportation for the energy saving is adopted	2
4.2.2 Objects for smart transportation for the energy saving	2
5 Coverage of smart transportation for the energy saving in transportation operation and services	4
5.1 General	4
5.2 Transportation covered with smart transportation for the energy saving	4
5.2.1 Transportation mode covered by smart transportation for the energy saving	4
5.2.2 Coverage of the smart transportation application	4
5.2.3 Transportation technical and business contents covered by smart transportation for the energy saving	7
6 Adoption of smart transportation for the energy saving	10
6.1 General	10
6.2 Transportation where smart transportation for the energy saving is adoptable.....	10
6.2.1 General	10
6.2.2 Services in the same transportation operation mode	10
6.2.3 Inter-modal services.....	10
6.2.4 Services on interfaces between public and private transportation	11
6.3 Selection of practical options for the energy saving.....	11
6.3.1 General	11
6.3.2 Practical options for the energy saving	11
6.3.3 Criteria and parameters to be considered in the selection of practical options adoptable for the energy saving	11
6.4 Adoption of the practical options for the energy saving	12
7 Confirmation of the performance of smart transportation for the energy saving after adoption.....	12
7.1 General	12
7.2 Monitoring the performance of the smart transportation when more than one practical option were applied	12
8 Maintenance of the quality of smart transportation for the energy saving.....	13
9 Optimization of smart transportation for the energy saving along with generation and social trend changes.....	13
9.1 General	13
9.2 Optimization of the smart transportation for current and future cities and city zones	13
9.3 Holding/discarding the smart transportation adopted in currently existing cities and city zones.....	13

9.4	Reselection of practical options for the energy saving adopted in currently existing cities and city zones	14
Annex A (informative)	Typical energy saving performance in railway operation by changing train driving ways	15
Bibliography		16
Annex C (informative)	Example of smart transportation that works to develop compact cities	

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 268, Sustainable cities and communities, Subcommittee SC 1, Smart community infrastructures

In the development of this document, ISO Guide 82 has been taken into account in addressing sustainability issues.

Introduction

Energy saving is one of the typical and measure issues to be solved in every city in the world. Energy has been used whenever citizens move in and between cities by using transportation services for their lives and business as transportation systems normally convey large number of passengers and delivery items/freight at a time with heavy and large vehicles at a high speed. Thus, transportation consumes relatively large volume of energy compared to other city functions such as water and ITC systems.

Smart transportation is not necessarily an infrastructure but definitely a solution to solve city issues found or coming-up, as pointed out in ISO 37154: 2017 or “Best practice guidelines for transportation” [1]. Smart transportation works to overcome city issues by properly applying specific transportation services thereto. As mentioned earlier, energy saving is a common but considerable city issue and transportation will be targeted to drastically save energy consumed in a city. Smart transportation for energy saving is, therefore, all-important to improve city performance, quality and potential.

The principle of smart transportation for energy saving depends not on transportation modes but on traction ways to run transportation vehicles because energy is consumed mostly when driving vehicles. Besides the energy consumed for traction, energy is still consumed additionally to support running vehicles and organize transportation’s entire systems. Thus, in the transportation field, some targets are there where energy can be saved. To successfully carry out energy saving in transportation, the entire structure of transportation systems should be recognized. This enables finding which situation or where energy can be saved in transportation systems and who in charge or related to transportation services can contribute to energy saving. There are options available to achieve energy saving and strategies to make energy saving performance more effective by combing more than one option at a time.

This documents describes what and how smart transportation for energy saving covers and works in transportation systems and services, according to the general guidelines on smart transportation of ISO 37154 that fully explains the structures, aspects and features of transportation operation, services and business from different viewpoints of those who use, plan and provide or operate transportation services. This document also conducts specific ways to save energy consumed by transportation operation and organization.

Smart community infrastructures — Guidance on smart transportation to save energy consumption in transportation services in cities and city zones

1 Scope

This document describes guidance to achieve saving of energy being and to be consumed in transportation services in cities and city zones, where the transportation services are provided to passengers, delivery items, freight and postal items.

This document does not designate specific procedures to save the energy but introduce practical options adoptable to save it and instruct how to properly select the options and adopt in transportation services in cities and city zones.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <http://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.1

transportation energy

energy being/to be consumed in transportation operation and services

3.2

energy saving

implementation to solve a city's issue of reduction in transportation energy in cities and city zones

4 Fundamentals

4.1 Basic ideas and goals

As ISO 37154: 2017, "Best practice guidelines for transportation" [1], pointed out, smart transportation has basic ideas and goals. The basic ideas and goals of smart transportation can also be considered according to those criteria, which is arranged for energy saving in transportation operation and services in cities and city zones:

- to improve the status of a city;
- to lower environmental load;

- to realize transportation facilities based on concrete planning (e.g. payable budget scales, environmental harmonization);
- to preserve and enhance scenic, aesthetic, historic, community and environmental resources.

Smart transportation for energy saving is to be organized to achieve the basic ideas and goals derived from the criteria listed above.

4.2 Location and purposes for adoption of smart transportation for the energy saving in transportation operation and services

In general, transportation organized in cities and city zones consists in single carriers, independent service lines, local transportation systems and/or large transportation networks. Thus, energy saving in transportation operation and services can still be applied to individual specific carriers, service lines, local transportation systems and large transportation networks while it can also be applied to an entire transportation system containing some or all of them in cities and city zones. The purpose of energy saving is, therefore, the reduction of energy being/to be consumed in transportation operation and services. To be concrete, the energy to be saved is not necessarily only the energy consumed by running transportation vehicles but also that consumed indirectly or additionally by running vehicles, namely, the energy used for lighting, air-conditioning, passengers' access assistance equipment in stations, ticketing and ticket inspection systems, passenger addressing systems, vehicle accommodation, transportation operation and maintenance systems including signaling, communication, powering and safety systems, all being work done at maintenance facilities and on service lines, and so on. Thus, the energy saving works to partly or entirely reduce the energy consumption of transportation operations and services.

4.2.1 Location where smart transportation for energy saving is adopted

Smart transportation for energy saving can be adopted in the following locations:

- within a region in a city and a city zone;
- on routes to connect regions;
- on interfaces of transportation inside/outside cities and city zones.

For transportation users, the factors that shape the locational needs of transportation services are:

- current costs of the transportation system;
- environmental impact of current transportation activity.

4.2.2 Objects for smart transportation for energy saving

Smart transportation for energy saving can be adopted in transportation operations and services with the following purposes:

- to transport people, freight and goods safely, reliably, conveniently, efficiently and economically;
- to provide transportation services that satisfy demand;
- to reduce environmental impact without reducing the quality of the transportation services;
- to improve the efficiency of connections between different modes of transportation;
- to reduce the total energy usage of the transportation infrastructure;

- to make transportation operation economically sustainable while ensuring it is affordable and accessible to all users;
- to improve communication to the public about all aspects of transportation services.

The above-mentioned objectives can be achieved by ensuring the transportation systems effectively perform the following:

- to convey passengers, delivery items and freight safely;
- to convey passengers, delivery items and freight, especially when they are in a large lot;
- to convey passengers, delivery items and freight at one time;
- to convey passengers, delivery items and freight on time;
- to convey passengers, delivery items and freight as planned;
- to convey passengers, delivery items and freight at a low cost;
- to provide dense networks for transport;
- to provide frequent services for transport;
- to provide successful and easy connection for transport between different transportation systems or modes;
- to control total energy saving/consumption for transportation;
- to lower environmental load without degradation in service quality of transport operations.

With integrated urban transportation planned, the plan enables:

- the transport of people and goods safely, reliably, efficiently and economically;
- the provision of networks appropriate for transportation needs, especially investing in and improving existing infrastructures;
- the creation of frequent services for transport;
- the provision of efficient connections for transport between different transportation systems or modes;
- the lowering of total energy saving/consumption for transportation;
- the lowering of environmental impact without degradation in service quality of transport operation;
- the economically stable operation of transportation with fares that are reasonable or payable by local citizens.

5 Coverage of smart transportation for energy saving in transportation operations and services

5.1 General

In 4.2, the location is pointed out, where smart transportation for energy saving is adopted in cities and city zones. In this clause, details are described on what transportation and what transportation business contents can be covered by smart transportation for energy saving.

5.2 Transportation covered with smart transportation for energy saving

In general, as described in ISO 37154, transportation systems consist of transportation modes having specific transportation services dependent on the mode. The transportation services have their own technical and business contents.

5.2.1 Transportation mode covered by smart transportation for energy saving

Transportation modes selected as smart transportation in a general meaning defined by 3.7 in ISO 37154, which are also included in this document, are:

- rail;
- commuter buses/bus rapid transit/inter-city buses;
- trucks;
- ferries;
- pipelines;
- air vehicles;
- walking;
- bicycles;
- motorbikes;
- automobiles;
- boats;
- transportation devices assisting passengers, delivery items and freight for moving in stations and terminals (e.g. elevators, escalators, moving walkways, conveyers);
- vehicles or systems and their additional instruments assisting mobility-impaired persons (e.g. scooters, Segways).

5.2.2 Coverage of smart transportation application

Smart transportation for energy saving will be adopted in transportation in cities and city zones which have transportation services dependent on transportation modes where smart transportation is going to be adopted.

5.2.2.1 Public transportation

Transportation modes have specific services to be provided by public transportation, which depend on what the transportation conveys. In other words, technical and business contents in public transportation depend on public transportation modes.

a) Rail mode

- passenger, delivery item and freight services (e.g. customer services at stations and freight yards, refrigerators for delivery items/freight to be kept at low temperature);
- accommodation preparation and management (e.g. water supply, cleaning, air-conditioning, coach brightness adjustment);
- train operation (e.g. scheduling, dispatching, refueling, train crew);
- rolling stock (e.g. accommodations, maintenance, refrigerators for delivery items/freight to be kept at low temperature);
- power/signaling;
- communication for train operations;
- facilities (e.g. stations, tracks, civil engineering structures);
- safety (e.g. surveillance);
- the environment (e.g. noise, vibration, pollutant and greenhouse gas emission, sunlight);
- information availability (e.g. making real-time information available to passengers about service frequency, routing, destinations and cost).

b) Bus/truck modes

- passenger, delivery item and freight services (e.g. customer services at bus stations, refrigerators for delivery items/freight to be kept at low temperature);
- bus and truck operations (e.g. scheduling, dispatching, drivers and conductors);
- refueling/power charging;
- signaling/bus tracking systems;
- communication for bus/truck operations;
- vehicles (e.g. accommodations, maintenance, refrigerators for delivery items/freight to be kept at low temperature);
- facilities (e.g. bus stations, freight yards, taxi stands, bus and truck lanes on public roads, bus tracks, civil engineering structures for bus/truck operation);
- information availability (e.g. making real-time information available to passengers about service frequency, destinations and cost).

c) Ferry mode

- passenger, delivery item and freight services (e.g. customer services at ports, refrigerators for delivery items/freight to be kept at low temperature);
- ferry operation (e.g. scheduling, dispatching, crew);
- refueling/power charging;
- signaling;
- communication for ferry operation;
- vessels (e.g. accommodations, maintenance, refrigerators for delivery items/freight to be kept at low temperature);
- facilities (e.g. ports, ferry terminals, civil engineering structures for ferry operation);
- information availability (e.g. making real-time information available to passengers and senders/recipients about service frequency, destinations and cost).

d) Air vehicle mode

- passengers, delivery item and freight services (e.g. customer services at airports, refrigerators for delivery items/freight to be kept at low temperature);
- refueling/power charging;
- air vehicle operation (e.g. scheduling, dispatching, crew);
- air crafts (e.g. pilot-less aircrafts);
- facilities (e.g. airports, civil engineering structures for air craft operation).

5.2.2.2 Private transportation

For private transportation, services listed below are provided to the owners and the drivers or operators of the transportation by the responsible governmental, government-related organizations or manufacturers in charge.

- work by road administrators (e.g. traffic surveillance, road maintenance, street lights, lighting for signboards);
- work by channel administrators (e.g. lighthouses, navigation aids);
- work by air traffic authorities (e.g. air-way beacons);
- work by police departments (e.g. traffic lights);
- work by fire departments;
- work by vehicle, boat and air vehicle manufacturers;
- green spaces or complete streets for walking and bicycles;
- bicycles sharing services.

5.2.2.3 Public transportation for personal use

- rental bicycles (e.g. batteries, recharging devices);
- rental motorbikes (e.g. batteries, recharging devices);
- rental cars (e.g. batteries, recharging devices).

5.2.3 Transportation technical and business contents covered by smart transportation for energy saving

Transportation technical and business contents of transportation modes, which are provided for transportation users as listed below, are also covered by smart transportation for energy saving:

5.2.3.1 Public transportation

a) Passenger services

- train/bus/ferry/air vehicle operations;
- safety for driving;
- weather forecast and information;
- communication of emergencies;
- travel planning;
- easy access to stations, ferry terminals and airports (e.g. pathways with roofs, access formation to connect stations, bus stops, ferry terminals and airports, introduction of passengers);
- ticketing;
- ticket inspection (e.g. at stations, in coaches);
- fare collection;
- connections and changing;
- inter-modal connection (e.g. rail and buses/trucks, rail and ferries, buses/trucks and ferries);
- direct through operation (e.g. between different rail carries, between sections with different-gauge tracks);
- information provision and indication (e.g. announcement in stations and coaches, languages, frequency, timing, indication of operation and connection conditions);
- control of passenger flows and goods delivery routes in stations, ferry terminals and airports;
- assistance to the disabled, the elderly and those whose physical performance is declining;
- food business (e.g. cafeterias, restaurants, dining cars, minibars on trains);
- shop operations;
- advertisements;

- internet connection;
- convenient location of stations, bus stops, ferry terminals and airports in a city;
- appropriate station and bus stop intervals in distance;
- business introduced into transportation facilities other than transportation services (e.g. nurseries, polling places);
- coach accommodations (e.g. formation, service equipment);
- delay minimization;
- optimization of the passenger capacity of coaches or train sets/buses/ferries/air vehicles;
- electronic fare payment through banks;
- varieties of choices of traveling means;
- arrangements at emergency (e.g. providing detours by other carries or transportation modes);
- emergency measures (e.g. fire engines, fire fighters, ambulances, escape routes, terrorist attacks, natural disasters, traffic accidents);
- fare adjustment at accidents (e.g. ticket refund, free change of tickets, extension of ticket valid period);
- fare selection depending on a variety of customer demands and trends;
- flat-rate fare in a specific zone;
- freight (fare) pool systems.
- affordable fare.

b) Delivery item/freight services

- train/bus/truck/ferry/air vehicle operations;
- safety in driving;
- weather forecast and information;
- communication at emergency;
- emergency measures (e.g. fire engines, fire fighters, ambulances, escape routes, terrorist attacks, natural disasters, traffic accidents);
- shipping/receiving planning;
- pick-up/delivery services;
- storage services;
- delivery item/freight tracking (e.g. registering at picking-up, shipping and delivery);

- packing/unpacking services;
- safe-handling for fragile or flammable items (e.g. item packing with transparent materials for easy recognition of contents);
- time and date appointment for pick-up and delivery.
- electronic fare payment through banks;
- pick-up/delivery services in a building or an area;
- door-to-door pick-up/delivery services with containers in cities.

5.2.3.2 Private transportation

a) Common vehicles

- safety in driving;
- control of private transportation;
- comfortable road conditions (e.g. line shapes, visibility, pavement);
- traffic information (e.g. congestion, traffic control, road maintenance work);
- service information (e.g. energy station and shop location);
- information on connections for other transportation (e.g. train, bus and ferry timetables);
- weather forecast and information;
- information signs;
- emergency calls;
- emergency measures (e.g. fire engines, fire fighters, ambulances, escape routes, terrorist attacks, natural disasters, traffic accidents);
- energy stations (e.g. gas, LPG, electric power, hydrogen);
- parking lots;
- vehicle sharing;
- rental vehicles;
- dedicated bicycles lanes.

b) Pooling vehicles

- rental bicycles;
- rental motorbikes;
- rental cars.

6 Adoption of smart transportation for energy saving

6.1 General

This clause deals with selection and adoption of the practical options to save transportation energy in cities and city zones.

6.2 Transportation where smart transportation for energy saving is adoptable

6.2.1 General

Smart transportation for energy saving is adoptable in operation that are arranged in the same and among different transportation modes and on the interface between public and private transportation.

6.2.2 Services in the same transportation operation mode

In the same transportation mode, an operation arranged for through-transportation transport is also the operation where smart transportation is adopted, besides transportation operated by a single carrier or a rail track/road/airway owner or manager:

- through train operation (e.g. conventional rail and metro or LRT, electrified and non-electrified sections);
- operation with good connection in time and place between different carriers (e.g. connection between private and government-operated rail carriers);
- ticketing for travelling to other carriers;
- arrangements for shipping to other carriers;
- long distance and high speed transportation (e.g. inter-city high-speed trains, magnetic levitation trains);
- strategic commuter services (e.g. direct connection of key stations downtown and in the suburbs)
- large network transportation systems (e.g. multiple inter-rail carrier through train operation to bring people from a huge area to specific spots).

6.2.3 Inter-modal services

Among different transportation modes, the operation arranged for inter-modal transport is the operation where smart transportation is adopted:

- inter-modal operation or operation with good connection in time and place between/among different transportation modes (e.g. connection of rail and buses, train operation to send/receive passengers, delivery items and freight to/from bus and ferry services);
- ticketing for travelling using inter-modal transport;
- ticketing for travelling to other carriers;
- communication with other carriers on travel by the disabled, elderly and those whose physical performance is declining;
- arrangements for shipping to different-mode carriers;
- reshipment of delivery items and freight at junctions.

6.2.4 Services on interfaces between public and private transportation

Between public and private transportation, easy changes from public to private transportation and vice versa are organized as transportation services for users as listed below, where smart transportation is adopted:

- temporary stops for private vehicles;
- assistance to the disabled, elderly and those whose physical performance is declining with changes between public and private transportation;
- parking lots for private vehicles including bicycles, motorbikes and cars;
- return delivery services for private vehicles including bicycles and motorbikes;
- on-board services for private vehicles including bicycles, motorbikes and cars;
- private vehicle shipment;
- safe access for persons walking to/from transportation facilities (e.g. skywalks, pedways, sidewalks);
- easy access for persons walking to/from transportation facilities (e.g. elevators, escalators, moving walkways, sidewalks with a roof or protectors);
- convenient access for persons walking to/from transportation facilities (e.g. kiosks, convenience shops, travel item shops, shoes and umbrella shops, first-aid stations, clinics, post offices, posts, stationary shops, inter-net access areas, fast-food shops, restaurants, public phones, bank ATMs).

6.3 Selection of practical options for energy saving

6.3.1 General

To save transportation energy, as mentioned in 4.2, the target section/line/area where smart transportation for energy saving is applied depends on the situations or goals that the city or city zone has. The extent that smart transportation is applied will fall on a target from a single carrier or independent service line/section to a local transportation system, up to a large transportation network. The extent as to how totally energy saving is planned or expected will depend on how many practical options are applied, say, only one option is simply used or more than one are combined to save transportation energy more totally.

6.3.2 Practical options for energy saving

The following practical options can be applied by considering target transportation and transportation aspects, for example.

- by optimizing transportation schedules (e.g. vehicle speed profile designing and modification for on-time and/or energy saving operation);
- by arranging vehicle dispatching (e.g. rolling stock scheduling and allocation);
- by evaluating driver's skill in driving vehicles.

6.3.3 Criteria and parameters to be considered in the selection of practical options adoptable for energy saving

The following criteria should be taken into consideration when selecting appropriate practical options to save transportation energy. Normally, the larger the target section/line/area where smart transportation for energy saving is applied, the higher the cost to adopt smart transportation. The wider the energy saving planned or

expected, the higher and more complicated the cost of the adoption and the control of the smart transportation system, respectively. In contrast, the more largely and totally that smart transportation is adopted, the more effectively the energy saving performs.

- budget scale;
- energy saving scale;
- allowable preparation term to start the energy saving;
- organizers of smart transportation for energy saving (e.g. governors, transportation carriers);
- track/traffic capacities where smart transportation is adopted;
- power capacities where smart transportation is adopted, in case the service line/section is electrified;
- rolling stock performance where smart transportation is adopted;
- service line planning where smart transportation is adopted.

6.4 Adoption of the practical options for energy saving

When only one practical option is used, it is simply applied to the target single carriers, independent service lines, local transportation systems and/or large transportation networks. More than one practical option can be applied in the same way as that for single practical option adoption. In this case, two or more practical options are applied. Thus, the optimization of applied practical options should be inter-optionally achieved even while respective practical options contained are individually optimized. When practical options are applied not in a single carrier or independent service line but in local transportation systems and/or large transportation networks, the applied practical option should be optimized in the same way as when more than one practical options are applied.

7 Confirmation of the performance of smart transportation for energy saving after adoption

7.1 General

The system of smart transportation for energy saving in cities and city zones should be regularly monitored to determine whether the smart transportation solution or energy saving is still being provided and where improvements should be focused. Monitoring is basically to be carried out in order to achieve energy saving by the practical options selected. When more than one practical option are applied to save transportation energy, monitoring should be organized by following the procedure designated in 7.2.

7.2 Monitoring the performance of smart transportation when more than one practical option is applied

Basically, even when using more than one practical option to save transportation energy, individual practical options applied should be monitored to derive synergy enhancing their respective effects resulting in the performance and effectiveness that are expected by combining more than one practical option. To enable these individual practical options to contribute to the performance and effectiveness, each practical option organically arranged is monitored.

8 Maintenance of the quality of smart transportation for energy saving

8.1 General

To keep the performance of smart transportation for energy saving in conditions planned and confirm the effectiveness thereof, observe the parameters below periodically. If the effectiveness of smart transportation is not confirmed or not clear, modify the current services by smart transportation by changing the conditions of the practical options that should be designated for each option for energy saving, where possible and reasonable.

8.2 Parameters to be observed

To make sure of the performance of smart transportation, observe parameters indicated below to compare:

- changes in the amount of transportation energy saved in the target area where smart transportation is adopted;
- changes in the required capacity of smart transportation;
- parameters developed based on proven measures for transit performance.

8.3 Modification of smart transportation

When identifying unwanted changes in the value of the parameters designated in 8.2, modify the conditions of the practical options that are designated for each option for energy saving, where possible. To correct the practical option parameters, analyze any unexpected or irregular occurrences in those areas where smart transportation was adopted. Modify irregular conditions of the practical options in case the irregular conditions are not acceptable.

9 Optimization of smart transportation for energy saving along with generation and social trend changes

9.1 General

In general, technologies will be improved or discarded along with changes in demands, taste and culture while generations alternate or social trends change. Then, transportation services are optimized to follow the latest states or situation taking place to cities and city zones currently existing and expected in the future. To optimize the performance or capacity of smart transportation for energy saving in such situations, smart transportation should be improved, changed or discarded to successfully provide a smart transportation solution or energy saving even while such changes come up in cities and city zones.

9.2 Optimization of smart transportation for current and future cities and city zones

To continually make the solution given by smart transportation advantageous to the transportation users and operators, city or city zone governors, planners or developers, performance or capacity of smart transportation providing energy saving should be optimized for the situations of cities or city zones currently existing and expected in the future by choosing/discarding practical options for energy saving, improving them or introducing new practical options created with developed or innovated technologies.

9.3 Holding/discarding smart transportation adopted in currently existing cities and city zones

To prepare suitable performance or capacity given by smart transportation for energy saving, the practical options for energy saving should be chosen/discarded, employed or changed, if necessary. The options currently adopted should be checked at certain time intervals for their suitability and applicability to the target

transportation, which provide the performance or capacity of energy saving offered/to be offered to current and expected cities and city zones.

9.4 Reselection of practical options for energy saving adopted in currently existing cities and city zones

To successfully organize energy saving by making the performance or capacity of adopted practical options suitable to cities and city zones currently existing and expected in the future, the options that have been used should be reconsidered. The decision to hold or reselect the options should be made by the transportation operators, city or city zone governors, planners or developers.

Annex A (informative)

Typical energy saving performance in railway operation by modifying speed profiles

The energy consumed by electric trains was measured on railway lines in service to show how energy saving can be achieved by modifying speed profiles of train operation by using buffer time created in a target section [2].

Table A.1 lists actually-measured electric energy consumption in kWh. Because common modern electric railway vehicles can generate power at a brake in order to make for energy consumed while driving, the energy consumption in appearance is given by deducting energy generated by making a brake from that consumed by acceleration.

Three speed profiles in each section were compared, in which the running time difference is negligible, as illustrated in Figure A.1. The Figure indicates that the speed profile of Speed B6N is the most effective to reduce energy consumption in appearance. To save energy in railway operation, it will be successful to run such a power-regenerative train coasting as long as train schedules permit.

Table A.1 — Energy consumption when modifying speed profiles in railway operation

Section	Driving type	Running time (s)	Energy consumption (kWh)
A	Speed – B2N	102.8	12.07
	Speed – B4N	102.3	11.03
	Speed – B6N	101.3	11.02
B	Speed – B2N	98.5	5.73
	Speed – B4N	99.5	4.32
	Speed – B6N	99.3	4.30
C	Speed – B2N	102.5	16.86
	Speed – B4N	105.0	13.53
	Speed – B6N	102.5	13.48




Figure A.1 — Differently modified speed profiles of a train, which were tried in three different active sections but the running time difference is negligible between them.

Bibliography

- [1] ISO 37154: 2017, *Smart community infrastructures — Best practice guidelines for transportation*
- [2] OGAWA T., et al. *Verification Test of Energy-Efficient Driving by Selection of Braking Notche*, IEEJ Transactions on Industry Applications, 134(12): 1022-1030 (2014)

